



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.


If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

T4N

R2E





Township No. IV North of the Base Line, Range No. II East of the 2nd Principal Meridian. Surveyed by Arthur Henric 1806

Quality of the land on the interior section lines



ORIGINAL  
FIELD NOTES  
ARE  
LACKING



RECORD  
OF  
FIELD NOTES



North Line continued

- 40.00 Set a half mile post from which a B. Oak 15 Inches dia. bears S 40 E 21 Lks. a Dogwood 6 Inches dia. bears S 39 W 14 Lks.  
 80.00 Set post corner of Sec. N° 12 T. 1. Town 3 N. R. 2 E from which a Beech 6 Inches dia. bears N 46 E 14 Links —  
 Va Sugar 20 Inches dia. bears S 46 W 22 Lks. — Land the same quality —

North Line continued

- 20.00 Beech 24 Inches dia.  
 24.00 Brook 10 Lks wide course North East —  
 40.00 Set a half mile post from which a Beech 15 Inches dia. bears S 10 W 16 Links —  
 Va mother Beech 10 Inches dia. bears N 45 E 11 Links —  
 80.00 Beech 20 Inches dia. corner of Towns N° 3, 3, 4 & 4 in Ranges 2 & 3 East, this mile over level, Beech timbered Land  
 Sept 23<sup>d</sup> 1866.

*P. Boundary T. 1 N. R. 2 E.*

West Between Towns N° 3 & 4 North Range 2 East of 1<sup>st</sup> Meridian — Sec 36

- 40.00 Set a half mile post from which a Beech 15 Inches dia. bears N 67 W 3 Lks. an Elm 24 Inches dia. bears N 70 E 31 Links  
 80.00 Set post corner of Sec. N° 35 T. 36. T. 4 N. R. 2 E. from which a Hickory 5 Inches dia. bears S 43 E 6 Lks. Van Ash 8 Inches dia. bears N 15 W 20 Links — Rich broken Land — Timber Oak, Ash, Poplar & Hickory — under brush Spice —

West Line continued — Sec. 35

- 40.00 Set a half mile post from which a Dogwood 5 Inches dia. bears S 51 W 12 Lks. Va Hickory 6 Inches dia. bears N 76 E 23 Links  
 80.00 Set post corner of Section N° 34 T. 33. T. 4 N. R. 2 E from which a Beech 11 Inches dia. bears S 72 W 30 Lks  
 Va Sugar 10 Inches dia. bears S 40 E 23 Links — Land the same quality —

West Line continued Sec. 34

- 31.00 Touched the North Side of a Brook 20 Links wide course South West —  
 24.00 Same course North West  
 31.00 Same course South West  
 34.00 Same course North West

- 40.00 Set a half mile post from which a Dogwood 6 Inches dia. bears S 70 W 17 Lks. Va Beech 10 Inches dia. bears N 70 E 14 Lks  
 71.00 Same course South West  
 79.00 Same course North West  
 80.00 Set post corner of Section N° 33 T. 34. T. 4 N. R. 2 E from which a B. Walnut 10 Inches dia. bears S 44 E 2 Lks  
 Locust 6 Inches dia. bears N 7 W 30 Links — Land the same —

West Line continued Sec. 33

- 24.00 Set post on the bank of W. river on the Indian Boundary at the Intersection from which an Elm 10 Inches dia. bears S 42 W 29 Links — Maple 8 Inches dia. bears N 35 E 23 Links —  
 31.95 to where the river turned N. W. Set post at the beginning of the boundary from which a Red bud 6 Inches dia. bears S 42 W 2 Lks. Va Hickory 8 Inches dia. bears N 44 W 7 Links —  
 40.00 Set a half mile post from which a Beech 10 Inches dia. bears S 33 E 23 Lks. Va Red bud 8 Inches dia. bears N 32 E 11 Lks  
 80.00 Set post corner of Section N° 33 T. 33. T. 4 N. R. 2 E. from which a Hackberry 29 Inches dia. bears S 67 E 24 Links  
 Van Elm 12 Inches dia. bears S 5 W 19 1/2 Links — This mile over level High Land —

West Line continued Sec. 32

- 1.00 Set post on the Indian boundary or W. River from which a Sycamore 14 Inches dia. bears S 6 E 2 Links  
 a Sycamore 30 Inches dia. bears N 56 E 28 Links — course of W. river S 75 W —  
 14.50 W. River course N 69 W — Set post at the Intersection of the Boundary from which a Beech 10 Inches dia.  
 S 70 W 2. & a distance 10.  
 bears N 7 W 14 Links —  
 40.00 Set a half mile post from which a Blue Ash 8 Inches dia. bears N 53 E 6 1/2 Lks. Va Beech 10 Inches dia. bears S 10 E 25 Links —  
 80.00 Set post corner of Sec. N° 31 T. 32. Town 4 N. R. 2 East from which a Sugar a Sugar 6 Inches dia. bears N 69 E 21 Lks. a Sugar 7 Inches dia. bears N 19 E 8 Links — good farming soil —



West Line continued

8.60 Brook 50 Links wide course North

40.00 Set a half mile post from which an Ironwood 6 Inchs dia. bears N 76 W 2 Lks. &amp; Hickory 10 Inchs dia. bears S 62 W 30 Links

51.79 Set post on the Indian Boundary from which a Beech 10 Inchs dia. bears S 25 W 26 Links

Ba Beech 8 Inchs dia. bears S 87 W 6 Links - Land the same quality - September 22<sup>th</sup> 1806.North <sup>E. Boundary of T. 4 N. R. 2 E.</sup>  
Between Towns 1 & 4 in Ranges 2 & 3 East of 2<sup>nd</sup> Meridian

12.50 Brook 200 Links wide course North, West

23.60 Same course North, East

25.00 Brook 15 Inchs dia.

40.00 Set a half mile post from which a B. Oak 10 Inchs dia. bears N 84 W 8 Lks. &amp; W. Oak 5 Inchs dia. bears N 57 E 2 Links

48.50 Same course North

55.00 To where it turned North, West

56.00 <sup>from corner of Section 25 & 36</sup>  
Set post corner of Sections 25 & 36 Town 11 N. R. 2 East from which a Beech 10 Inchs dia. bears N 88 W 26 Lks. & Dogwood 5 Inchs dia. bears N 40 E 14 1/2 Links - Good Land

North Line continued

30.50 W. Oak 24 Inchs dia.

40.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 24 W 20 Lks. &amp; Beech 8 Inchs dia. bears S 9 E 22 Links

45.00 Brook 10 Links wide course North, East.

50.00 Set post corner of Sections 24 & 25 T. 4 N. R. 2 E from a Sugartree 10 Inchs dia. bears S 35 E 7 Links  
Ba Beech 10 Inchs dia. bears S 77 W 13 Links - This mile over Rich broken Land -  
Timber Sugar & Poplar

North Line continued

Between Towns 1 &amp; 4 North

00.00 Sugar 12 Inchs dia.

40.00 Set a half mile post from which a W. Oak 10 Inchs dia. bears S 15 E 23 Links &amp; Hackberry 5 Inchs dia. bears N 60 W 9 Links

43.50 Set post on the Indian boundary on the bank of M. River at the intersection corner of Sec. N. 24  
T. 4 N. R. 2 E from which an Ironwood 10 Inchs dia. bears N 18 E 14 Links. Ironwood 8 Inchs dia. bears  
S 53 E 13 Links - This mile over level Land - Timber Oak - Elm & mapleNorth <sup>Part of E. Boundary of T. 1 N. R. 3 E.</sup>  
Between Town 1 & 1 South in Ranges N 3 & 4 East of 2<sup>nd</sup> Meridian E. Side Sec. 25.  
from 1/4 Section corner of Sec. N. 25. T. 1 N. R. 3 E

40.00 Set post corner of Sec. N. 24 &amp; 25. T. 1 N. R. 3 E in the barrens

North Line continued E side Sec 24

12.50 Pond 5 chains 5 Links wide course South, West.

40.00 Set a half mile post from which a Hickory 10 Inchs dia. bears S 16 W 12 Lks. &amp; Hickory 6 Inchs dia. bears N 34 E 13

50.00 Set post corner of Sec. N. 24 &amp; 13. T. 1 N. R. 3 E. from which a Hickory 10 Inchs dia. bears S 85 W 15 1/2 Links. Barren Land

North Line continued E side Sec 13.

40.00 Set half mile post - no timber nigh

50.00 Set post corner of Sec N 12 & 13 T. 1 N. R. 3 E from which a W. Oak 15 Inchs dia. bears S 45 E 37 Links -  
W. Oak 10 Inchs dia. bears N 48 E 60 Links - This mile over thin lousy soil - thin timber

North Line continued E side Sec 12

41.50 Brook 10 Links wide course West

53.35 W. Walnut 10 Inchs dia.

40.00 Set a half mile post from which a Gum 20 Inchs dia. bears N 12 W 11 Links W. Oak 12 Inchs dia. bears N 45 E 15 Lks.



2 Township N. 4. North Range N. 2 East of the Meridian

North Between Sec. 35 & 36

31.54 Beech 20 In. D.

40.00 Set a half mile post - From which a Beech 12 In. D. bears S 10 E 42 Chs. And a Beech 12 In. Diam. bears N 3 E 12 Chs.

59.40 Beech 20 In. D.

61.50 Beech 10 Course N.

70.00 Same Course N. W.

74.15 Beech 100 Chs wide.

80.00 Set post corner of Sec. 25, 26, 35 & 36 - From which a Beech 20 In. D. bears S 1 E 46 D° 10

East. Between Sec. 25 & 36 On Random.

8.50 Beech 100 links wide Course S. W.

18.50 Same Course N. W.

40.00 Set a temporary half mile post.

77.89 Intersected the N. & S. line 20 links N of Sec. corner - Land level Tim. Beech.

West. Between Sec. 25 & 36 On true line.

39.94½ Set the temporary post at average distance on true line for ½ Sec. corner - From which a Beech 12 In. Diam. bears N 3 E 24 links - A W. Oak 15 In. Diam. bears S 73 W 3 links.

77.89 Sec. corner.

North Between Sec. 25 & 26

2.00 Beech 100 Ch. wide Course N. E.

4.10 Poplar 24 In. Diam.

8.30 Same Course N. W.

40.00 Set a half mile post - From which a Hickory 10 In. Diam. bears S 24 W 2 links - Another Hickory 12 In. Diam. bears S 10 E 10 links



2 Township N. 4. North Range N. 2 East of the Meridian

|        |  |
|--------|--|
| North  | Between Sec. 35 & 36   |
| 31.54  | Beech 20 Ins. D.   |
| 40.00  | Set a half mile post - From which a Beech 12 Ins. D. bears S 10 E 48 lks. And a Beech 12 Ins. Diam. bears N 3 E 12 lks.  |
| 59.40  | Beech 20 Ins. D.   |
| 61.50  | Brook 10 Course N.   |
| 70.00  | Same Course N. W.  |
| 74.15  | Brook 100 lks wide.  |
| 80.00  | Set first corner of Sec. 25, 26, 35 & 36 - From which a Beech 20 Ins. D. bears S 1 E 46 D° 10  |
| East.  | Between Sec. 25 & 36 On Random   |
| 8.50   | Brook 100 links wide Course S. W.  |
| 18.50  | Same Course N. W.  |
| 40.00  | Set a temporary half mile post.  |
| 79.89  | Intersected the N. & S. line 20 links S of Sec. corner - Land level Tim. Beech.  |
| West.  | Between Sec. 25 & 36 On true line.   |
| 39.94½ | Set the temporary post at Average Distance on true line for ½ Sec. corner - From which a Beech 12 Ins. Diam. bears N 3 E 24 links - A W. Ash 15 Ins. Diam. bears N 73 W 5 links. |
| 79.89  | Sec. corner.   |
| North  | Between Sec. 25 & 26   |
| 2.00   | Beech 100 lks. wide Course S. E.   |
| 4.10   | Poplar 24 Ins. Diam.   |
| 8.50   | Same Course N. W.  |
| 40.00  | Set a half mile post - From which a Hickory 10 Ins. Diam. bears S 24 W 2 links - Another Hickory 12 Ins. Diam. bears S 10 E 10 links   |



Township N<sup>o</sup> 4 North Range N<sup>o</sup> 2 East of the Meridian Continued

- 20.00 Set post corner of Sec. 23, 24, 25 & 26 - From which a Beech 40 In. D<sup>r</sup> bears N 42 E 27 links - & an Elm 8 In. Diam<sup>r</sup> bears S 15 W 9 links - First half mile Over hilly Oak & Hickory Timbered Land - Last over good farming level land.
- East. Between Sec. 24 & 25 On Random.
- 13.00 Spring run 3 links wide Course N.
- 32.00 Same Course S. W.
- 40.00 Set a temporary half mile post.
- 46.00 Spring Course N. E.
- 53.50 Spring run 8 links wide Course North.
- 77.40 Intersected the N & S line 80 links N of Sec. corner - Land level - Timber Beech, Sugar & Hickory.
- West. Between 24 & 25 On True line.
- 39.70 Set the temporary post at average Distance On true line for  $\frac{1}{2}$  Sec. corner From which a Hickory 15 In. Diam<sup>r</sup> bears N. 41 E 16 Chs - Beech 20 S 69 E 21 links.
- 79.40 Sec. corner.
- North Between Sec. 23 & 24
- 24.63 Set post on the bank of W. River the Indian boundary - From which a W. Walnut 10 In. D<sup>r</sup> bears S 1 E. 28 links - And a Red bud 6 In. Diam<sup>r</sup> bears S 38 W 5 links - Land level & Rich.
- North Between Sec. 35 & 34
- 24.00 Brook 10 Chs. wide C. W.
- 50.00 Set a half mile post - From which a Walnut 15 S 35 E 21 Chs - Poplar 18 In. D<sup>r</sup> bears S 35 E 22 Chs.
- 80.00 Set post corner of Sec. 26, 27, 34 & 35 - From which a Beech 24 In. Diam<sup>r</sup>

Township N<sup>o</sup> 4 North Range N<sup>o</sup> 2 East of the Meridian Continued

- Bears N 22 E 39 Chs. And a gum 20 In. D<sup>r</sup> bears S 60 W 5 Chs - Rich Rolling Land
- East. Between Sec. 35 & 26 On Random.
- 36.00 Brook 100 Chs. Course N.
- 40.00 Set a temporary half mile post
- 44.00 Same Course S. W.
- 63.00 Same Course N. W.
- 68.00 Same Course S. W.
- 74.00 Same Course N. W.
- 80.30 Intersected the N & South line 5 links S of Sec. corner - Land Rich.
- West. Between 35 & 26 On True line.
- 46.15 Set the temporary post at average Distance on true line for  $\frac{1}{2}$  Sec. corner From which a Beech 10 In. D<sup>r</sup> bears N 37 E 14 Chs. Another Beech 6 In. D<sup>r</sup> bears S 45 W 13 Chs.
- 80.30 Sec. corner.
- North Between Sec. 26 & 27
- 3.80 W. Oak 20 In. Diam<sup>r</sup>.
- 40.00 Set a half mile post - From which a Sugar 10 In. Diam<sup>r</sup> bears N 20 W 10 Chs & a Beech 10 In. Diam<sup>r</sup> bears N 73 W 5 links.
- 41.20 W. Walnut 20 In. Diam<sup>r</sup>.
- 80.00 Set post corner of Sec. N<sup>o</sup> 26, 27, 22 & 23 - From which a Beech 6 In. Diam<sup>r</sup> bears North 11 links & a Dogwood 7 In. Diam<sup>r</sup> bears S 52 E 10 links - This mile Over Rich Rolling Land.
- East. Between Sec. 26 & 23 On Random.
- 8.50 Brook 10 links wide Course North.
- 40.00 Set a temporary half mile post.
- 57.63 Brook 10 links wide Course North.



Township N. 4 North Range N. 2 East of the Meridian Continued

- 20.00 Intersected the S.D.S. Line at Section Corner — Land level & rich — Timber Beech, Hickory, Locust & Walnut.
- West. Between 23 & 26 Blazing.
- 20.00 Established the temporary post at Average Distance for 1/2 Sec. Corner From which a Hickory 10 Ins. D. bears N 60 E 29 Chs — Hackberry 24 N 48 W 13 links.
- 30.00 Sec. Corner.
- North. Between Sec. 22 & 23.
- 21.50 Set post on Bank of White River — From which a Cotton wood 6 Ins. Diam. bears S 3 E 10 links — And a Maple 6 Ins. Diam. bears S 4 W 16 Chs Land flat.
- West. Between Sec. 27 & 22.
- 30.00 River Bottom.
- 20.00 Set a half mile post — From which a Hickory 6 Ins. Diam. bears N 73 W 7 Chs — B. Walnut 12 Ins. Diam. bears N 86 E 32 Chs.
- 41.37 Set post on the Bank of W. River — From which a Locust 10 N 72 E 22 links And a B. Walnut 6 Ins. D. bears S 9 E 16 Chs — This line over rich land Timber Beech, Hickory, Hackberry & Walnut — Underbrush Spicewood.
- November 10<sup>th</sup> 1806.
- West. Between Sec. 34 & 27.
- 40.00 Set a half mile post — From which a Beech 20 Ins. Diam. bears S 34 W 17 — And a Dogwood 7 N 54 W 20 Chs.
- 43.00 Spring run 5 Chs. Course N. W.
- 44.25 Same Course S. W.
- 72.00 Set post on the bank of W. River — From which a Sycamore 20 Ins.

Township N. 4 North Range N. 2 East of the Meridian Continued

- Diam. bears N 23 W 27 Chs — Another Sycamore 30 Ins. Diam. bears S 5 W 32 links — Land broken.
- North. Between Sec. 33 & 34.
- 1.00 Hickory 20 Ins. D.
- 5.00 Brook 40 Chs. N. W.
- 39.00 To an Elm 12 Ins. Diam. at the Intersection of the boundary on the bank of W. River — This line over very rich level land — Timber Oak, Oak & Hackberry — Underbrush Spicewood.
- North. Between Sec. 32 & 33.
- 3.25 Sycamore 20 Ins. Diam.
- 3.77 Set post on the Bank of W. River — From which a Maple 7 Ins. D. bears N 36 E 6 links — Another Maple 2 Ins. Diam. bears S 51 W 9 Chs — Land the same.
- North. Between Sec. 31 & 32.
- 10.25 W. Oak 20 Ins. Diam.
- 35.00 Set post on the Indian boundary — From which a Beech 20 Ins. Diam. bears S 7 E 25 links — And an Elm 8 Ins. Diam. bears S 42 W 14 Chs — Broken rich land — Timber Sugar and beech.
- November 12<sup>th</sup> 1806

Surveyed by

For Meanders of White River  
See Vol. I. N. & C. page 27

Arthur Penrie  
Deputy Surveyor.



Meanders of E. branch of White River, in T. 4 N. R. 2 E,  
Left Bank.

247

| Meanders of Left bank of River<br>from con. of sec. 20 & 25, T. 4 N. R. 2 E.<br>Thence up stream. |       |                            | Thence commencing at post on<br>E. boundary of T. 4 N. R. 2 E, down<br>stream on left bank in sec. 24,<br>Thence |       |                            |
|---|-------|----------------------------|--|-------|----------------------------|
| N. 87 E   | 16.50 | In sec 19, T. 4 N. R. 2 E. | \$ 496   | 3.00  | In sec 24, T. 4 N. R. 2 E. |
| N. 76 E   | 9.25  |                            | \$ 600   | 5.50  |                            |
| N. 57 E   | 15.50 |                            | \$ 700   | 10.00 |                            |
| N. 45 E   | 18.50 |                            | \$ 860   | 2.50  |                            |
| N. 41 E   | 15.00 |                            | N 77 W   | 8.50  |                            |
| N. 35 E   | 14.00 |                            | N 61 W   | 6.00  |                            |
| N. 43 E   | 5.00  |                            | N 70 W   | 7.00  |                            |
| N. 42 E   | 7.50  | line between sec. 19 & 20  | West   | 4.50  |                            |
| N. 48 E   | 7.50  | In sec 20                  | \$ 520   | 4.00  |                            |
| N. 62 E   | 11.50 |                            | \$ 360   | 11.50 |                            |
| N. 75 E   | 7.00  |                            | \$ 180   | 8.50  |                            |
| N. 71 E   | 15.00 |                            | \$ 620   | 6.50  |                            |
| N. 63 E   | 14.50 |                            | \$ 850   | 3.50  |                            |
| N. 87 E   | 9.00  |                            | N 83 W   | 5.50  |                            |
| N. 70 E   | 10.50 |                            | N 70 W   | 2.50  |                            |
| N. 53 E   | 7.50  |                            | N 54 W   | 5.50  |                            |
| N. 36 E   | 8.50  |                            | N 22 W   | 1.76  | line between sec. 23 & 24  |
| N. 14 E   | 8.50  |                            | N 39 W   | 3.00  | In sec. 23.                |
| N. 3 E  | 11.00 |                            | N 19 W   | 7.00  |                            |
| N. 30 E   | 14.00 |                            | N 5 E  | 2.50  |                            |
| N. 15 W   | 6.00  |                            | N 13 E   | 4.50  |                            |
| N. 47 W   | 9.00  |                            | N 2 W  | 11.00 |                            |
| N. 57 W   | 22.50 |                            | N 55 W   | 7.72  |                            |
| N. 47 W   | 7.50  |                            | \$ 530   | 11.10 |                            |
| N. 44 W   | 4.72  | line between sec. 20 & 29. | \$ 380   | 4.40  |                            |
| N. 40 W   | 5.00  | In sec 29.                 | South  | 2.50  |                            |
| N. 39 W   | 18.00 |                            | \$ 490   | 7.50  |                            |
| N. 27 W   | 7.50  |                            | \$ 600   | 11.75 | a creek 100 yds wide.      |
| N. 33 W   | 10.50 |                            | \$ 710   | 3.67  |                            |
| N. 20 W   | 12.00 |                            | N 70 W   | 1.00  |                            |
| N. 19 E   | 14.00 |                            | West   | 14.75 |                            |
| N. 23 E   | 17.00 |                            | N. 65 W  | 2.00  |                            |
| N. 19 E   | 6.07  | line between 29 & 32.      | West   | 4.25  |                            |
| N. 26 E   | 15.50 | In sec 32.                 | N. 70 W  | 3.50  |                            |
| N. 39 E   | 8.00  | To old land boundary.      | N. 85 W  | 3.76  |                            |
| By Arthur Newie, in 1810.   |       |                            | N. 53 W  | 14.00 |                            |
|   |       |                            | N. 22 W  | 5.64  | line between 22 & 23       |

7 over







|                                  |  |           |  |
|----------------------------------|--|-----------|--|
| Subdivisions Town 4 N. R. 2 East |  | North     | Between Sec. 19 & 20   |
| North                            | Between Sec. 31 & 32                             | 40.00     | gr. Sec. corner Beech 12 S 83 E 36<br>Hickory 18 South 5         |
| 40.00                            | gr. Sec. corner Beech 6 S 3 E 36                 | 56.65     | Set post on the River bank January 48 1/2 N 4<br>do 7 1/2 S E 34 |
| 47.50                            | A. Beech 10 in. diam.                            |           | Land Rich. timber same   |
| 80.00                            | Set post corner to Sec. 29, 30, 31, 32           | West      | Between Sec. 19 & 30   |
|                                  | Beech 20 S 5 W 24                                | 3.00      | A. Spring Run 5 lbs. N. W  |
|                                  | do 10 S 28 E 22                                  | 15.80     | A. Beech 20 in. diam.  |
|                                  | Land Hilly, Beech, Poplar, Ash, Sugar P.         | 40.00     | gr. Sec. corner Beech 7 S 34 E 20<br>do 7 S 11 E 24              |
| West                             | Between Sec. 30 & 31                             | 71.81     | Intersected with boundary at the Sec. corner                     |
| 40.00                            | gr. Sec. corner Beech 12 S 36 W 23               |           | Land level Hickory, Ash, Walnut & Locust                         |
|                                  | do 7 S 7 W 21                                    | South     | Between Sec. 19 & 2  |
| 75.90                            | Set post on the West boundary 78 lbs. S. of post | 15.00     | A. Poplar 20 in. diam.   |
|                                  | Ironwood 8 S 29 E 16                             | 40.00     | gr. Sec. corner Beech 6 North 2                                  |
|                                  | Sugar 8 S 52 E 25                                |           | No other trees   |
|                                  | Land the same                                    | 80.00     | Set post corner to Sec. 1, 2, 11, 12                             |
| East                             | Between Sec. 29 & 32                             |           | Dogwood 6 S 16 E 5   |
| 17.15                            | A. Hickory 20 in. diam.                          |           | Beech 18 S 18 E 32   |
| 31.50                            | Set post on River bank Beech 24 S 82 W 31        |           | Land Very Hilly, Oak, Hickory & some Chestnut                    |
|                                  | B. Walnut 12 S 82 E 10                           | East      | Between Sec. 4 & 12 On Random                                    |
|                                  | Land the same                                    | 40.00     | Temporary gr. Sec. post  |
| North                            | Between Sec. 29 & 30                             | 48.50     | A. Beech 12 lbs. South   |
| 10.00                            | A. Beech 5 lbs. East                             | 80.25     | Intersected N & S line 10 lbs. S. of post                        |
| 40.00                            | gr. Sec. corner Beech 12 S 7 W 18                |           | Land & Timber same   |
|                                  | Sugar 7 S 6 E 14                                 | West      | Corrected  |
| 68.50                            | A. Sugar 18 in. diam.                            | 40.12 1/2 | gr. Sec. corner Ironwood 6 S 30 W 32                             |
| 80.00                            | Set post corner to Sec. 19, 20, 29, 30           |           | Beech 20 S 33 W 22   |
|                                  | Beech 10 S 20 E 22                               | 80.25     | Section corner   |
|                                  | do 12 S 3 E 30                                   | South     | Between Sec. 11 & 12   |
|                                  | Land the same                                    | 40.00     | gr. Sec. corner W. Oak 15 S 7 E 26                               |
| East                             | Between Sec. 20 & 29                             |           | Dogwood 7 S 25 W 7   |
| 40.00                            | gr. Sec. corner Hickory 6 S 38 W 4               | 80.00     | Set post corner to Sec. 11, 12, 13, 14                           |
|                                  | W. Walnut 12 S 58 E 7                            |           | Beech 10 S 5 W 39  |
| 46.30                            | A. W. Ash 14 in. corner on the River             |           | do 10 S 45 E 16  |
|                                  | Land the same                                    |           | Land level, Beech, Poplar P.                                     |

|           |   |       |   |
|-----------|---|-------|---|
| East      | Between Sec. 12 & 13 On Random                | 66.25 | A. Sugar 18 in. diam.                     |
| 40.00     | Temporary gr. Sec. post                       | 80.00 | Set post corner to Sec. 2, 3, 10, 11      |
| 48.60     | A. Beech 20 lbs. South                        |       | Poplar 5 S 11 30 W 3                      |
| 80.45     | Intersected N & S line 35 lbs. South of post  |       | Mulberry 8 S 76 E 6                       |
|           | Land level, Beech, Poplar P.                  |       | Good level land, Walnut, Ash P.           |
| West      | Corrected                                     | East  | Between Sec. 2 & 11 On Random             |
| 40.22 1/2 | gr. Sec. corner Beech 15 S 18 E 7             | 13.50 | A. Beech 10 lbs. N. W                     |
|           | do 20 S 69 W 24                               | 40.00 | Temporary gr. Sec. post                   |
| 80.45     | Section corner                                | 80.00 | Intersected N & S line at the corner      |
| South     | Between Sec. 13 & 14                          |       | Land the same                             |
| 8.22      | A. Beech 25 lbs. S. W                         | West  | Corrected                                 |
| 40.00     | gr. Sec. corner Beech 10 S 41 E 12            | 40.60 | gr. Sec. corner Beech 20 S 87 W 128       |
|           | do 10 S 14 W 10                               |       | do 20 S 45 E 19                           |
| 80.00     | Set post corner to Sec. 13, 14, 23, 24        | 80.00 | Section corner                            |
|           | Mulberry 20 S 11 W 48                         | South | Between Sec. 10 & 11                      |
|           | Ironwood 8 S 5 E 30                           | 40.00 | gr. Sec. corner Beech 10 S 33 W 12        |
|           | Land the same                                 |       | Dogwood 6 S 19 W 28                       |
| South     | Between Sec. 23 & 24                          | 80.00 | Set post corner to Sec. 10, 11, 14, 15    |
| 1.50      | A. Beech 25 lbs. S. E                         |       | Beech 10 S 41 W 25                        |
| 18.24     | To a Hickory 15 in. diam. corner on the River |       | Sugar 18 S 24 E 20                        |
|           | Bank. Land the same                           |       | Land Hilly timber the same                |
| East      | Between Sec. 13 & 24 On Random                | East  | Between Sec. 11 & 14 On Random            |
| 40.00     | Temporary gr. Sec. post                       | 40.00 | Temporary gr. Sec. post                   |
| 80.95     | Intersected N & S line 60 lbs. South of post  | 80.10 | Ironwood N & S line 10 lbs. South of post |
|           | Land Rich & level                             |       | Land the same                             |
| West      | Corrected                                     | West  | Corrected                                 |
| 40.47 1/2 | gr. Sec. corner Hickory 18 S 21 E 16          | 40.05 | gr. Sec. corner Sugar 10 S 63 E 14        |
|           | do 10 S 15 E 29                               |       | Yum 10 S 51 W 20                          |
| 80.45     | Section corner                                | 80.10 | Section corner                            |
| South     | Between Sec. 24 & 3                           | South | Between Sec. 14 & 15                      |
| 12.75     | A. Beech 75 lbs. S. W                         | 23.00 | A. Beech 10 lbs. S. W                     |
| 40.00     | gr. Sec. post. Poplar 40 S 11 E 20            | 40.00 | gr. Sec. corner Beech 10 S 34 W 13        |
|           | Beech 10 S 40 E 31                            |       | Sugar 10 S 34 W 13                        |
| 57.00     | A. Beech 10 lbs. West                         | 72.40 | A. W. Ash 20 in. diam.                    |



80.00 Set post corner to Sec<sup>s</sup> 14, 15, 22, 23  
 W. Ash 10 S 47 E 11  
 Walnut 10 N 5 W 17

Land the same

East Between Sec<sup>s</sup> 14 & 23 On Random

20.00 A. Brook 12 lbs. South

40.00 Temporary gr. Sec. post

72.00 A. Brook 75 lbs. S. E

80.85 Intersected N. E. line 12 lbs. South of post

Land level the best - mile Rich

West Corrected

40.42 gr. Sec. corner Sugar 20 S 45 W 10  
 do 18 S 52 E 12

80.85 Section corner

South Between Sec<sup>s</sup> 22 & 23

40.00 gr. Sec. corner Hickory 20 S 22 W 19  
 Mulberry 10 S 14 E 32

47.50 A. Limestone 40 in. diam.

50.76 Set post on the River Bank

Sycamore 30 S 4 E 16

Mulberry 6 S 14 E 16

Land level & rich. Ash, Oak, Hickory &c

South Between Sec<sup>s</sup> 3 & 4

40.00 gr. Sec. corner Ironwood 6 S 52 E 9  
 Beech 8 S 13 W 22

78.00 A. Brook 75 lbs. South

80.00 Set post corner to Sec<sup>s</sup> 3, 4, 9, 10

Ironwood 6 S 32 E 10

do 4 S 14 W 12

Land a very steep hill. Oak, Beech, Ash, Hickory &c

East Between Sec<sup>s</sup> 3 & 10 On Random

40.00 Temporary gr. Sec. post

80.00 Intersected N. E. line 15 lbs. South of post

Land the same

West Corrected

40.00 gr. Sec. corner Beech 10 S 29 W 12  
 Dogwood 6 S 84 E 15

80.00 Section corner

South Between Sec<sup>s</sup> 9 & 10

40.00 gr. Sec. corner W. Oak 20 S 47 E 11  
 Hickory 10 S 62 W 19

80.00 Set post corner to Sec<sup>s</sup> 9, 10, 15, 16

Maple 18 S 84 E 20

Beech 12 S 72 W 32

Land very hilly

East Between Sec<sup>s</sup> 10 & 15 On Random

3.00 A. Brook 10 lbs. S. E

15.00 A. Brook 10 lbs. South

40.00 Temporary gr. Sec. post

70.75 A. Brook 10 lbs. South

80.00 Intersected N. E. line 8 lbs. South of post

West Corrected

40.00 Temporary gr. Sec. corner Beech 10 S 4 W 5  
 do 10 S 51 W 16

80.00 Section corner

South Between Sec<sup>s</sup> 15 & 16

11.80 A. Brook 24 in. diam.

40.00 gr. Sec. corner Beech 10 S 3 W 16  
 do 7 S 15 W 22

80.00 Set post corner to Sec<sup>s</sup> 15, 16, 21, 22

Beech 10 S 77 W 17

Sugar 10 S 62 E 7

Good farming land. Same timber. Very fine

East Between Sec<sup>s</sup> 15 & 22 On Random

40.00 Temporary gr. Sec. post

57.25 A. Brook 18 lbs. South

80.75 Intersected N. E. line 10 lbs. South of post

Land the same

West Corrected Between Sec<sup>s</sup> 15 & 22

40.42 gr. Sec. corner Beech 20 S 49 W 25  
 do 7 S 24 E 3

80.95 Section corner

South Between Sec<sup>s</sup> 21 & 22

40.00 gr. Sec. corner Maple 20 S 22 E 15  
 Ironwood 8 S 56 W 9

80.00 Set post corner to Sec<sup>s</sup> 21, 22, 27, 28

Ash 12 S 20 W 39

Beech 20 S 50 E 16

Land level & rich. timber the same

East Between Sec<sup>s</sup> 22 & 27

36.67 Set post on the River Bank

Hickory 10 S 13 W 5

do 6 S 58 E 10

Land the same

South Between Sec<sup>s</sup> 27 & 28

25.00 A. Oak 5 in. diam. &c

40.00 gr. Sec. corner W. Oak 12 S 15 E 9  
 Hickory 10 S 69 W 9

42.50 A. Elm 12 in. diam.

80.00 Set post corner to Sec<sup>s</sup> 27, 28, 33, 34

Hickory 10 S 26 E 20

Ironwood 6 S 8 W 17

Land the same

East Between Sec<sup>s</sup> 27 & 34

6.72 Set post on the River Bank

Beech 12 S 21 E 6

Ironwood 6 S 14 W 5

Land the same

South Between Sec<sup>s</sup> 33 & 34

8.00 A. Brook 20 in. diam.

25.74 Set post on the River Bank

Cottonwood 8 S 72 E 66

Land the same

South Between Sec<sup>s</sup> 4 & 5

4.50 A. Brook 10 lbs. West

34.00 A. Brook 8 lbs. North

40.00 gr. Sec. corner Chestnut 18 S 50 W 20  
 Beech 6 S 47 W 4

50.25 A. W. Oak 10 in. diam.

80.00 Set post corner to Sec<sup>s</sup> 4, 5, 8, 9

Beech 12 S 71 W 22

W. Ash 12 S 42 E 25

Land very hilly. timber the same

East Between Sec<sup>s</sup> 4 & 9 On Random

40.00 Temporary gr. Sec. post

60.00 A. Brook 75 lbs. S. W

80.00 Intersected N. E. line 12 lbs. South of post  
 Land the same

West Corrected

40.00 gr. Sec. corner Beech 10 S 68 W 29  
 Sugar 10 S 44 E 25

80.00 Section corner

South Between Sec<sup>s</sup> 8 & 9

40.00 gr. Sec. corner W. Oak 18 S 38 E 13

do 7 S 41 W 17

80.00 Set post corner to Sec<sup>s</sup> 8, 9, 14, 17

Beech 20 S 53 W 9

do 12 S 8 W 26

Land the same

East Between Sec<sup>s</sup> 9 & 16 On Random

7.50 A. Brook 75 lbs. South

40.00 Temporary gr. Sec. post

80.00 Intersected N. E. line 12 lbs. North of post

Land the same

West Corrected

40.00 gr. Sec. corner Hickory 15 S 22 W 16  
 Maple 12 S 17 W 23

80.00 Section corner



South Between Secs. 16 & 17  
 12.00 A. Brook 100 lbs. S.W.  
 40.00 gr. Sec. Corner W. Oak 10 S 26 E 5  
 do 7 S 7 N 24  
 54.10 W. Ash 24 in. diam.  
 70.50 Set post on River Bank, Oak 12 S 70 E 24  
 B. Walnut 10 S 80 W 23  
 Land the Same, Hilg  
 West Between Secs. 28 & 33  
 40.00 gr. Sec. Corner in a Pond 4 Chains Wide  
 50.00 Set post corner to Secs. 28, 29, 33, 34  
 Logwood 7 S 10 E 8  
 Beech 28 S 78 W 31  
 Land Hilg & Rich, Beech, Hickory & Beech  
 West Between Secs. 29 & 32  
 31.21 The River Bank Sugar 8 S 8 W 73  
 do 10 S 69 W 12  
 Land the Same  
 South Between Secs. 32 & 33  
 14.50 A. Brook 10 lbs. West  
 40.00 gr. Sec. Corner 6 S 53 W 28  
 do 6 S 34 W 32  
 66.86 Set post on the River Bank  
 Walnut 20 South 1  
 Land the Same  
 North Between Secs. 28 & 29  
 26.50 A. Brook 10 lbs. West  
 40.00 gr. Sec. Corner Beech 6 S 44 E 3  
 Sugar 10 S 60 W 27  
 80.00 Set post corner to Secs. 20, 21, 28, 29  
 W. Ash 20 S 34 E 16  
 Hickory 15 S 83 W 20  
 Land the Same  
 East Between Secs. 21 & 28 On Random  
 40.00 Temporary gr. Sec. post  
 45.00 A. pond 4 chains. N & S

59.50 N. Pond 5 chains N & S  
 80.00 Intersected N & S line at the corner  
 Land the Same  
 West Corrected  
 40.02 gr. Sec. Corner W. Oak 38 S 67 E 33  
 Sugar 6 S 63 W 12  
 80.05 Section Corner  
 West Between Secs. 20 & 29  
 18.59 Set post on River Bank  
 Oak 8 S 36 E 18  
 W. Oak 8 S 6 W 16  
 North Between Secs. 20 & 21  
 14.50 Set post on the River Bank  
 W. Oak 20 S 63 W 13  
 Ironwood 10 S 85 E 15  
 Land level  
 West Between Secs. 16 & 21  
 40.00 gr. Sec. Corner Beech 24 S 65 W 22  
 do 6 S 74 E 13  
 64.50 Set post on River Bank  
 Ironwood 8 S 41 E 18  
 Oak 10 S 22 E 29  
 Land Hilg, Beech, Poplar &  
 South Between Secs. 35 & 36  
 40.00 gr. Sec. Corner Beech 8 S 12 E 31  
 Hickory 6 S 70 E 6  
 42.50 A. Brook 10 lbs. East  
 80.00 Set post corner to Secs. 5, 6, 7, 8  
 Beech 8 S 58 W 14  
 do 8 S 5 E 21  
 Land Hilg, Beech, Poplar, Oak & Hickory  
 East Between Secs. 5 & 8 On Random  
 40.00 Temporary gr. Sec. post  
 55.00 A. Brook 5 lbs. South  
 80.00 Intersected N & S line 10 lbs. N. of post  
 Land the Same

West Corrected Between Secs. 5 & 8  
 40.00 gr. Sec. Corner W. Ash 8 S 40 E 14  
 Cherry 10 S 10 E 9  
 80.00 Section Corner  
 West Between Secs. 6 & 7  
 3.50 A. Poplar 20 in. diam.  
 40.00 gr. Sec. Corner Beech 5 S 7 E 3  
 Ash 12 S 37 W 6  
 70.55 Set post on the West Boundary 27 lbs. S. of post  
 Beech 18 S 75 E 7  
 do 18 S 6 W 14  
 Land Hilg, Beech, Poplar, Oak & Hickory  
 South Between Secs. 4 & 8  
 40.00 gr. Sec. Corner Beech 10 S 24 E 13  
 do 20 S 1 W 12  
 47.80 A. Brook 75 lbs. S.W.  
 80.00 Set post corner to Secs. 7, 8, 17, 18  
 Beech 5 S 2 W 12  
 do 6 S 18 E 14  
 Land the Same  
 East Between Secs. 8 & 17 On Random  
 40.00 Temporary gr. Sec. post  
 80.45 Intersected N & S line 12 lbs. S. of post  
 Land the Same  
 West Corrected  
 40.22 gr. Sec. Corner W. Ash 18 S 61 39  
 80.45 Section Corner  
 West Between Secs. 4 & 18  
 14.50 A. Sugar 18 in. diam.  
 40.00 gr. Sec. Corner Beech 6 S 4 E 5  
 do 8 S 58 W 7  
 48.00 A. Brook 75 lbs. South  
 59.11 Set post on the N. Boundary 13 lbs. S. of post  
 Beech 10 S 63 E 23  
 do 20 S 63 W 10  
 Land the Same

North Between Secs. 17 & 18  
 18.20 A. W. Ash 12 in. diam.  
 27.00 A. Brook 75 lbs. S.W.  
 40.00 gr. Sec. Corner Sugar 12 S 60 E 11  
 do 10 S 69 W 15  
 80.00 Set post corner to Secs. 17, 18, 19, 20  
 Beech 8 S 15 W 10  
 do 6 S 30 W 9  
 Land the Same  
 East Between Secs. 17 & 20  
 28.25 Set post on the River Bank  
 W. Ash 20 S 57 W 34  
 Sycamore 24 S 77 E 7  
 Land very Hilg  
 South Between Secs. 19 & 20  
 22.18 To a Beech on the River Bank 10 in. diam.  
 Land the Same  
 West Between Secs. 18 & 19  
 40.00 gr. Sec. Corner Beech 20 S 38 W 18  
 do 6 S 60 W 18  
 68.64 Set post on the N. Boundary 188 lbs. S. of post  
 Sugar 6 S 7 W 23  
 do 10 S 80 E 38  
 Land the Same  
 Surveyed by Arthur M. Rice D.S.  
 { For Meanders of White River in  
 this Town, see this Vol. pages  
 247 & 248 }